Getac

X600 Server ACCESSORY SPEC BROCHURE



Getac (UK) Ltd.

Getac House, Stafford Park 12, Telford, Shropshire TF3 3BJ, United Kingdom Tel: +44 (0) 1952 207 222 Sales-Getac-UK@getac.com | www.getac.com/en/

BACKPACK

Features & Benefits

Constructed of durable Nylon, and featuring an adjustable padded shoulder strap, this backpack provides sturdy protection for your fully rugged notebook while giving maximum comfort. The functional pockets inside offer the optimal solution to transport the notebook and needed accessories together in one case, delivering extra convenience to mobile professionals.

Product Information

Dimensions: 450 x 330 x 230mm Main Material: Nylon 1000D

SKU ID

GMBPX1



EXTERNAL DUAL BAY BATTERY CHARGER

Features & Benefits

This external dual-bay battery charger is designed to charge up to 2 batteries at the same time. It provides you the benefit of charging and storing two batteries together when there is limited space and power sockets.

Product Information

AC Input: 100V~240V

DC Output: 13.05V, 2.4A Max. Number of charge bay: 2 Bay

Dimensions: L 160 x W 180 x H 72.5mm

Weight: 1.2kg

SKU ID

Main Battery + Multimedia Bay Battery	Two Main Batteries
GCMCEK (EU Power Cord) GCMCUK (US Power Cord) GCMCKK (UK Power Cord) GCMCAK (AU Power Cord) GCMCCK (CHN Power Cord) GCMCTK (TW Power Cord) GCMCIK (IN Power Cord)	GCMCEJ (EU Power Cord) GCMCUJ (US Power Cord) GCMCKJ (UK Power Cord) GCMCAJ (AU Power Cord) GCMCCJ (CHN Power Cord) GCMCTJ (TW Power Cord) GCMCIJ (IN Power Cord)





SPARE MAIN BATTERY

Features & Benefits

Getac Spare Main Battery is designed to provide the main power source for your device when the AC adapter is not connected / charged.

Product Information

Battery type: Lithium-ion Cell designation: 3S2P Output Voltage: 10.8V Capacity: 6900mAh

Battery Dimensions and Weight: L 142.1 x W 72 x H 20.1mm, 350g

SKU ID

GBM6X8



230W AC ADAPTER

Features & Benefits

This adapter is designed to power the notebook and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your designated country.

Product Information

Input Voltage : 100V-240V AC Output Voltage : 19.5VDC

Output Current: Max 11.79A, 230W

Adapter Dimensions & Weight: L 177 x W 86 x H 32.2mm, 650g

Adapter Output Cord Length : 1500mm Adapter Power Supply Cord Length : 1800mm

SKU ID

GAA8E1 (EU Power Cord) GAA8U1 (US Power Cord) GAA8K1 (UK Power Cord) GAA8A1 (AU Power Cord) GAA8C1 (CHN Power Cord) GAA8T1 (TW Power Cord) GAA8I1 (IN Power Cord)



230W MIL-STD-461 AC ADAPTER

Features & Benefits

The 230W MIL-STD-461 AC adapter has passed the military standard and testing specification to ensure the conducted emissions (CE), conducted susceptibility (CS), radiated emissions (RE), and radiated susceptibility (RS) of the adapter can meet the requirements for the control of electromagnetic interference.

Product Information

Input Voltage : 100V-240V AC Output Voltage : 19.5VDC

Output Current: Max 11.8A (230W)

Adapter Dimensions and Weight: L 256 x W 98 x H 57mm, 1.9kg

Adapter Output Cord Length : 1530mm Adapter Power Supply Cord Length : 1800mm

230W MIL-STD-461 AC adapter is designed to charge single device at a time only.

SKU ID

GAAGE6 (EU Power Cord) GAAGU6 (US Power Cord) GAAGK6 (UK Power Cord) GAAGA6 (AU Power Cord) GAAGC6 (CHN Power Cord) GAAGT6 (TW Power Cord) GAAGI6 (IN Power Cord)



CAPACITIVE STYLUS PEN & TETHER

Features & Benefits

This capacitive hard tip stylus is lightweight and easy to control, allowing smooth and comfortable interaction with the touch screen without worrying about scratching the screen or leaving fingerprints on it. The stylus comes with a detachable tether to keep the stylus attached to the device, so it doesn't get lost or misplaced.

Product Information

Stylus Dimensions: 111mm; Ø9mm

Tip size: 3.8mm; Ø3.5mm Tether Length: 304mm

SKU ID

GMPSXE



LCD SCREEN PROTECTION FILM

Features & Benefits

This screen protection film is cut precisely to fit the device and is easy to install and remove without leaving a sticky residue. With anti-glare coating, it not only protects the screen from the rigors of daily use but also help diffuses light on the screen and reduces glare, providing effortless readability for displayed information under common ambient lighting conditions.

Product Information

Dimensions: L 345.7 x W 195.3mm

Main Material : PET

SKU ID

GMPFXU



SPARE MAIN STORAGE

Features & Benefits

Getac Spare Main Storage with canister is designed to provide you the ease of installation and allow you to remove your confidential data when your device is sent for service.

Product Information


Capacity: PCle 1TB/2TB

Dimension: L 110.8 x W 30.2 x H 5.7mm

Weight: 37.8g

SKU ID

GSSGX8 (1TB Enterprise PCle SSD) GSSHX6 (2TB Enterprise PCle SSD)



X-BAY SSD KIT

Features & Benefits

The X Bay SSD Kit is with canister is designed to provide you the ease of installation and allow you to remove your confidential data when your device is sent for service.

Product Information


Capacity : SATA 1TB/2TB

Dimension: 141 x 28.85 x 5.8 mm

Weight: 42.15g

SKU ID

GSS8XF (1TB Enterprise SATA SSD) GSSDX3 (2TB Enterprise SATA SSD)



BLU-RAY SUPER MULTI DRIVE

Features & Benefits

The Blu-Ray super multi drive is an optical disk drive that can read and write for different kinds of optical disks. It allows the user to access a variety of different media formats. Besides, It is a user-removable module that can be installed without tools.

Product Information

Dimension: L 147.4 x W 135 x H 14.4mm Weight: 157.4g

SKU ID

GSROXB



DVD SUPER MULTI DRIVE

Features & Benefits

The DVD Super Multi Drive is an optical disk drive that can read and write for different kinds of optical disks. It allows the user to access a variety of different media formats. Besides, It is a user-removable module that can be installed without tools.

Product Information

Dimension: L 147.4 x W 135 x H 14.4mm

Weight: 157.4g

SKU ID

GSROXA



150W AC ADAPTER

Features & Benefits

This adapter is designed to power the notebook and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your designated country.

Product Information

Input Voltage : 100V-240V AC Output Voltage : 19VDC

Output Current: Max 7.89A, 150W

Adapter Dimensions & Weight: L 151.3 x W 75.6 x H 25.4mm, 485g

Adapter Output Cord Length : 1800mm Adapter Power Supply Cord Length : 1830mm

SKU ID

GAA1E3 (EU Power Cord) GAA1U3 (US Power Cord) GAA1K3 (UK Power Cord) GAA1A3 (AU Power Cord) GAA1C3 (CHN Power Cord) GAA1T3 (TW Power Cord) GAA1I3 (IN Power Cord)

