

ZX80-EX ACCESSORY SPEC BROCHURE



Getac (UK) Ltd.

Getac House, Stafford Park 12, Telford, Shropshire TF3 3BJ, United Kingdom
Tel : +44 (0) 1952 207 222 Sales-Getac-UK@getac.com | www.getac.com/en/

DIGITIZER PEN WITH TETHER

Features & Benefits

The digitizer pen provides a more accurate and easy way for data entry and handwritten signature.

Product Information

Dimensions : 110.8 x Ø9.0mm
Tip size : 2.0 mm ; Ø1.65mm
Tether Length : 304mm

SKU ID

GMPDX7



HAND STRAP WITH STYLUS HOLDER

Features & Benefits

The adjustable strap is designed to keep the tablet secured to user's hand and easier to carry.

Product Information

Dimensions : L 155 x W 54 x H 18mm
Weight : 25g
Main Material : PU

SKU ID

GMHSXE



ROTATING HAND STRAP & KICKSTAND

Features & Benefits

The Rotating Hand Strap is designed to make using the tablet easier and more convenient to carry. The hand strap is adjustable to fit most hand sizes and can be rotated 360 degrees to find the ideal viewing angle while on-the-go. It also includes a built-in kickstand that allows for handsfree usage on flat surfaces, providing more on-the-job flexibility.

Product Information

Dimensions : L 155 x W 80 x H 30mm
Weight :132g
Main Material : PU

SKU ID

GMHRXL



MULTI-BAY BATTERY CHARGER EIGHT BAY

Features & Benefits

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provide users an efficient charging solution.

Product Information

AC Input : 100V~240V AC, 4.2A 50~60Hz

DC Output : 19.5V, 16.9A

* w / 330W AC Adapter Number of charge bays : 8 bays

Dimensions : L 465 x W 245 x H 95.3~111.3mm

Weight : 4.7 kg, not including battery packs

Support main batteries and high-capacity batteries.

(Replaceable in non-hazardous areas only)

SKU ID

GCECEP (EU Power Cord)

GCECUP (US Power Cord)

GCECKP (UK Power Cord)

GCECAP (AU Power Cord)

GCECCP (CHN Power Cord)

GCECTP (TW Power Cord)

GCECIP (IN Power Cord)



SHOULDER STRAP 2-POINT

Features & Benefits

The 2-point shoulder strap provides a quick and comfortable handsfree carrying option of the ZX80-EX. The strap length is adjustable by using the slide adjusters for height. Also, it fits most body sizes for both cross-body and shoulder carry.

Product Information

Length : 1740mm
Main Material : Nylon

SKU ID

GMS2XA



65W USB-C VEHICLE ADAPTER

Features & Benefits

The 65W Vehicle Adapter connects to the vehicle dock to charge the tablet. It comes with a choice of two types of connections: a bare wire with individual wire ends already stripped, and a cigarette lighter plug for easy connection to the cigarette lighter socket in the vehicle interior, providing a convenient way to charge and power your tablet while you are on the road.

Product Information

Input Voltage : 12VDC~ 32VDC

Output Voltage : 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A

Case Dimensions : L 70 x W 37.6 x H 26mm

Weight : Cigarette lighter plug version 180g / Bare wire version 145g

Input Cable Length : 1200mm


Output Cable Length : 1000mm

(Replaceable in non-hazardous areas only)

SKU ID

GAD6X3 (Cigarette Lighter Plug Version)

GAD6X4 (Bare Wire Version)



EXTERNAL DUAL BAY MAIN BATTERY CHARGER

Features & Benefits

This external dual-bay main battery charger is designed to charge up to two batteries at the same time. It provides you the benefit of charging and storing the 2 main batteries together when there are limited space and power socket.

Product Information

AC Input : 100V~240V
DC Output : 13.05V, 2.4A Max.
Number of charge bay : 2 Bay
Dimensions : L 160 x W 180 x H 72.5mm
Weight : 1.2kg
Support main batteries and high-capacity batteries.
(Replaceable in non-hazardous areas only)

SKU ID

GCMCEM (EU Power Cord)
GCMCUM (US Power Cord)
GCMCKM (UK Power Cord)
GCMCAM (AU Power Cord)
GCMCCM (CHN Power Cord)
GCMCTM (TW Power Cord)
GCMCIM (IN Power Cord)



ANTI-STATIC SCREEN PROTECTION FILM WITH GLOSSY FINISH

Features & Benefits

This anti-static protection film is designed to ensure safe operations of the ZX80-EX in hazardous environments. The innovative layer of coating minimizes the buildup of static electrical charges on the screen surface while protecting the screen from scratches and abrasions. It also prevents the possibility of a static electrical discharge potentially igniting flammable or combustible materials in the air, while also maintaining excellent surface responsiveness.

Product Information

Dimensions : L 184 x W 114 x D 0.15 mm
Main Material: PET

SKU ID

GMPXXB
* MOQ : 10pcs



65W USB-C AC ADAPTER

Features & Benefits

This adapter is designed to power the device and charge its internal battery from an AC power source.

Product Information

Input : 100V-240V, 50~60Hz, 1.6A
Output : 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Dimensions : L 90 x W 51 x H 28.5mm
Weight : 220g ±15g
Input cable length : 1830mm
Output cable length. : 1500mm
(Replaceable in non-hazardous areas only)

SKU ID

GAT6U1 (US Power Cord)
GAT6E1 (EU Power Cord)
GAT6K1 (UK Power Cord)
GAT6A1 (AU Power Cord)
GAT6C1 (CHN Power Cord)
GAT6T1 (TW Power Cord)
GAT6G1 (AG Power Cord)



STANDARD BATTERY 4990MAH

Features & Benefits

The hot-swappable battery can support full-shift computing with no downtime. It is a great solution for mobile professionals who require long battery life for all-day operation.

Product Information

Battery Type : Lithium-ion Polymer
Voltage : 3.84V
Capacity : Typical 4990mAh ; Min. 4870mAh
Dimensions : L 119.5 x W 60.6 x H 8.95mm
Weight : 98g
(Replaceable in non-hazardous areas only)

SKU ID

GBM1XA

