

K120 ACCESSORY SPEC BROCHURE



[Ljava.lang.String;@46a070be

5F, Building A, No. 209, Section 1, Nangang Rd., Nangang Dist., Taipei City,
115018, Taiwan, R.O.C. Tel : +886 2 2785 7888 globalmarketing@getac.com |
www.getac.com

BUILT FOR MISSION-CRITICAL TASKS

DIGITIZER PEN-GMPDX6

Features & Benefits


The digitizer pen provides a more accurate and easy way for data entry and handwritten signature. A shortcut button allows the right mouse button functionality when using the pen.

Product Information

Stylus Dimensions : 109mm ; Ø9mm
Tip size : 2.0mm ; Ø1.65mm
Tether Length : 292mm

SKU ID

GMPDX6



SHOULDER STRAP 2-point-GMS2X8

Features & Benefits

This shoulder strap attaches via two holders at the back of the tablet and is adjustable to fit most body sizes for both cross-body and shoulder carry. With its durable, sturdy design, the strap not only provides a comfortable, grip-free carrying option of the tablet but also helps in avoiding accidental drops while on the move. The shoulder strap can also attach to the detachable keyboard (sold separately) via two D-rings on the built-in handle.

Product Information

Dimensions : 38 x 1530mm Main Material : Polyester

SKU ID

GMS2X8



90W MIL-STD-461 AC ADAPTER-GAAG*5

Features & Benefits

This MIL-STD-461G AC adapter has passed the military standard and testing specification to ensure the conducted emissions (CE), conducted susceptibility (CS), radiated emissions (RE), and radiated susceptibility (RS) of the adapter can meet the requirements for the control of electromagnetic interference.

Product Information

Input : 115V-230V, 1.6A 50~60Hz Output : 19V, 4.74A,
90W Dimensions : L 170 x W 75 x H 45mm Weight : 880g (without
power cord) Input cable length : 1530mm Output cable length :
1800mm

SKU ID

GAAGE5 (EU Power Cord)
GAAGU5 (US Power Cord)
GAAGK5 (UK Power Cord)
GAAGC5 (CHN Power Cord)
GAAGA5 (AU Power Cord)
GAAGI5 (IN Power Cord)
GAAGT5 (TW Power Cord)



KEYBOARD DOCK without RF Pass-through-GDKB*D

Features & Benefits

Featuring 4-level red backlighting, 88 full-size keys and an integrated touchpad, the keyboard dock allows for a user-friendly, laptop-like operation to minimize mistakes and increase the efficiency as you perform data-intensive tasks. It also carries a variety of I/O ports for connections to peripherals and other devices. Its Double-locking mechanism strengthens the tablet-keyboard connection and prevents the keyboard from accidentally falling off. It also features a retractable handle that can be pulled out to create a stable base, allowing the tablet screen to be safely tilted back for comfortable viewing.

Product Information

Dimension : L 340.5 x W 307.5 x H 21mm Weight : 1.43Kg Structure : IP66; membrane Drop : 4ft Layout : 88 keys I/O Interfaces : DC in Jack x 1, USB 3.2 Type-A x 3, Giga Lan (RJ-45) x 1, HDMI x 1, Serial Port x 1, Display Port X 1 Docking Compatibility : Compatible with K120 vehicle /office docks (laptop mode).

SKU ID

GDKBUD (US)	GDKBKD (KR)
GDKBBDD (DE)	GDKBLD (PL)
GDKBCD (UK)	GDKBMD (Spanish)
GDKBDD (FR)	GDKBND (FDNS)
GDKBED (IT)	GDKBTD (TR)
GDKBGD (Traditional Chinese)	GDKBWD (International US)
GDKBHD (RU)	GDKBFD (Canadian French)
GDKBID (AR)	GDKBVD (Canadian French Government)



STANDARD BATTERY 2100 mAh (1-pack)-GBM3X4

Features & Benefits

This battery pack is specifically designed for the K120, and can be hot-swapped for quick and simple battery replacement in the field without powering the unit down.

Product Information

Battery Type : Lithium-ion
Number of cell : 3S1P
Voltage : 11.1V
Capacity : Typical 2100mAh; min. 2040mAh
Dimensions : L 123.9 x W 91.2 x H 12.3mm
Weight : 160g

SKU ID

GBM3X4

SHOULDER HARNESS 4-point-GMS4X4

Features & Benefits


This shoulder harness has four snap hooks which attach to the corner rings on the tablet, and can be easily detached as well. The harness is worn in a backpack style, allowing the tablet to be carried hands-free in front of the user at a belt level for easy accessibility. It also delivers optimal support and a comfortable fit during movement, thanks to its wide soft padding and adjustable straps.

Product Information

Dimensions : 1380 x 372mm Main Material : Polyester

SKU ID

GMS4X4



SCREEN PROTECTION FILM Matte Finish-GMPFXJ

Features & Benefits

This screen protection film is cut precisely to fit the K120 tablet and is easy to install and remove without leaving sticky residue. With anti-glare coating, it not only protects the screen from the rigors of daily use, and helps to diffuse light on the screen and reduces glare, providing effortless readability for displayed information under common ambient lighting conditions.

Product Information

Dimensions : L 301.08 x W 191.32 x D 0.14mm Main Material : PET

SKU ID

GMPFXJ



KEYBOARD DOCK with RF Pass-through-GDKB*C

Features & Benefits

Featuring 4-level red backlighting, 88 full-size keys and an integrated touchpad, the keyboard dock allows for a user-friendly, laptop-like operation to minimize mistakes and increase the efficiency as you perform data-intensive tasks. It also carries a variety of I/O ports for connections to peripherals and other devices. Its Double-locking mechanism strengthens the tablet-keyboard connection and prevents the keyboard from accidentally falling off. It also features a retractable handle that can be pulled out to create a stable base, allowing the tablet screen to be safely tilted back for comfortable viewing.

Product Information

Dimension : L 340.5 x W 307.5 x H 21mm Weight : 1.43Kg Structure : IP66; membrane Drop : 4ft Layout : 88 keys I/O Interfaces : DC in Jack x 1, USB 3.2 Type-A x 3, Giga Lan (RJ-45) x 1, HDMI x 1, Serial Port x 1, Display Port X 1, RF antenna pass-through for GPS, WLAN and WWAN Docking Compatibility : Compatible with K120 vehicle /office docks (laptop mode).

SKU ID

GDKBUC (US)	GDKBKC (KR)
GDKBBC (DE)	GDKBLC (PL)
GDKBCC (UK)	GDKBMC (Spanish)
GDKBDC (FR)	GDKBNC (FDNS)
GDKBEC (IT)	GDKBTC (TR)
GDKBGC (Traditional Chinese)	GDKBWC (International US)
GDKBHC (RU)	GDKBFC (Canadian French)
GDKBIC (AR)	GDKBVC (Canadian French Government)



DUAL BAY BATTERY CHARGER-GCMC*F

Features & Benefits

This external dual-bay main battery charger is designed to charge up to 2 batteries at the same time. It provides you the benefit of charging and storing the 2 main batteries together when there is limited space and power sockets.

Product Information

AC Input : 100V~240VDC Output : 13.05V, 2.4A Max.Number of charge bays : 2 baysDimensions : L 160 x W 180 x H 72.5mmWeight : 1.2kgSupport main batteries and high-capacity batteries.

SKU ID

GCMCEF (EU Power Cord)
GCMCUF (US Power Cord)
GCMCKF (UK Power Cord)
GCMCAF (AU Power Cord)
GCMCCF (CHN Power Cord)
GCMCTF (TW Power Cord)

HIGH CAPACITY BATTERY 3450 mAh (1-pack)-GBM4X4

Features & Benefits

The high capacity battery pack extends the system run time up to two times compared to the standard battery pack, providing a great solution for mobile professionals who require extra battery life for all-day computing. It's also hot-swappable for quick replacement without interrupting the tablet's performance.

Product Information

Battery Type : Lithium-ion
Number of cell : 4S1P
Voltage : 14.4V
Capacity : Typical 3450mAh; min. 3300mAh
Dimensions : L 123.9 x W 115.4 x H 22.3mm
Weight : 260g

SKU ID

GBM4X4



120W AC ADAPTER with Power Cord-GAA3*2

Features & Benefits

Specifically designed for use with the office docking station and performance SKU, this 120W AC adapter provides efficient delivery to power your devices.

Product Information

Input : 100V-240V Output : 19V, 6.32A Max. Dimensions : L 131.5 x W 69 x H 25.6mm Weight : 412g Input cable length : 1830mm Output cable length : 1800mm

SKU ID

GAA3E2 (EU Power Cord)
GAA3U2 (US Power Cord)
GAA3K2 (UK Power Cord)
GAA3A2 (AU Power Cord)
GAA3C2 (CHN Power Cord)
GAA3T2 (TW Power Cord)
GAA3R2 (KR Power Cord)
GAA3I2 (IN Power Cord)
GAA3G2 (AG Power Cord)



MULTI-BAY BATTERY CHARGER Eight Bay-GCEC*A

Features & Benefits

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provide users an efficient charging solution.

Product Information

AC Input : 100V~240V AC, 4.2A 50~60Hz DC Output : 19.5V, 16.9A* w
/ 330W AC Adapter
Number of charge bays : 8 bays
Dimensions : L 465 x W 245 x H 95.3~111.3mm
Weight : 4.7 kg ,not including battery packs
Support main batteries and high-capacity batteries.

SKU ID

GCECEA (EU Power Cord)
GCECUA (US Power Cord)
GCECKA (UK Power Cord)
GCECAA (AU Power Cord)
GCECCA (CHN Power Cord)
GCECTA (TW Power Cord)



CARRY BAG-GMBCX7

Features & Benefits

Constructed of durable Nylon/air mesh fabric and featuring an adjustable padded shoulder strap, this compact carry bag provides sturdy protection for your device while giving maximum comfort. The functional pockets inside offer the optimal solution to transport the laptop and needed accessories together in one case, delivering extra convenience and go-anywhere productivity to mobile professionals.

Product Information

Dimensions : L 405 x W 330 x D 100mmWeight : 1.335kgMain
Material : Nylon, air mesh fabric

SKU ID

GMBCX7



GETAC RUGGED KEYBOARD-GDKB*9

Features & Benefits

The Getac Rugged Keyboard is designed with VESA and AMPS mounting capability that allow it to be placed firmly in the vehicle. It has gone through vigorous test that comply with MIL-STD 810G and IP65. It also features with 88 full sized keys, red LED backlight with five levels of brightness and impressive key response that will truly enhance user experience.

Product Information

Dimension : 307.7 x 194 x 32 mm
 Weight : 870g
 Compatibility : Windows 10 Pro, Windows 11 Pro
 Backlit : Red LED, five levels of brightness
 Coiled Cable Length : USB 2.0 interface, 1.83m

SKU ID

Getac Rugged Keyboard	Getac Rugged Keyboard with Smart card and USB 2.0	Getac Rugged Keyboard with Smart card and LF/HF RFID
GDKBU9 (US) GDKBC9 (UK) GDKBB9 (DE) GDKBD9 (FR)	GDKBU6 (US) GDKBC6 (UK) GDKBB6 (DE) GDKBD6 (FR)	GDKBU7 (US) GDKBC7 (UK) GDKBB7 (DE) GDKBD7 (FR)



ROTATING HAND STRAP with Kickstand-GMHRXG

Features & Benefits

The rotating hand strap is designed to make using the tablet easier and more convenient to carry. The hand strap is adjustable to fit the majority of hand sizes and can be rotated 360 degrees to find the ideal viewing angle while on-the-go. It also includes a built-in kickstand that allows for handsfree usage on flat surfaces, providing more on-the-job flexibility.

Product Information

Hand Strap Dimension : 242 x 115mm Main Material : PU

SKU ID

GMHRXG

120W DC-DC VEHICLE ADAPTER-GAD2X4

Features & Benefits

The 120W vehicle adapter comes with a choice of two types of connections: a bare wire with individual wire ends already stripped, and a cigarette lighter plug for easy connection to the cigarette lighter socket in the vehicle interior, providing a convenient way to charge and power your tablet while you are on the road.

Product Information

Input Voltage : 11VDC~ 32VDC Output Voltage : 19VDC Output current : 6.32A Max. Case Dimensions : L 131.5 x W 65.6 x H 30mm Weight : 362g Input cable length : 1900mm Output cable length : 1000mm

SKU ID

GAD2X4 (Cigarette Lighter Plug Version)

GAD2X8 (Bare Wire Version)



90W AC ADAPTER-GAA9*6

Features & Benefits

This adapter is designed to power the device and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your destination country.

Product Information

Input : 100V-240V Output : 19V, 4.74 A, 90W Dimensions : L 140.1 x W 65.1 x H 25.4 mm Weight : 275 g Input cable length : 1830mm Output cable length: 1500mm

SKU ID

GAA9U6 (US Power Cord)
GAA9E6 (EU Power Cord)
GAA9K6 (UK Power Cord)
GAA9C6 (CHN Power Cord)
GAA9A6 (AU Power Cord)
GAA9T6 (TW Power Cord)
GAA9I6 (IN Power Cord)
GAA9G6 (ARG Power Cord)
GAA9J6 (JPN Power Cord)
GAA9R6 (KR Power Cord)



OFFICE DOCK with AC Adapter (Tablet Mode)-GDOD*5

Features & Benefits

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in office environment. Through the integrated ethernet, RS232, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics. The HDMI and VGA ports also provide a convenient solution for sharing presentations or worksheets from a larger screen.

Product Information

Dimensions : L 313.3 x W 203.3 x H 265.7mmWeight : 1.45kgDocking Connector : POGO * w / 120W AC AdapterI/O Interfaces : DC in Jack x 1, Audio Output x 1, Microphone x1, USB 2.0 x 2, USB 3.0 x3, LAN x 2, HDMI x 1, VGA x 1, Serial Port x 1, Kensington Lock x 1

SKU ID

GDODE5 (EU Power Cord)
GDODU5 (US Power Cord)
GDODK5 (UK Power Cord)
GDODA5 (AU Power Cord)
GDODC5 (CHN Power Cord)
GDODT5 (TW Power Cord)

DETACHABLE KEYBOARD-GDKB*A

Features & Benefits

Featuring 4-level red backlighting, 88 full-size keys and a Precision Touchpad (PTP), the detachable keyboard allows a more accurate and reliable pointer and gesture functionality. Specifically designed for highly mobile professionals who need to perform data-intensive tasks in their daily workflows. The double-locking mechanism strengthens the tablet-keyboard connection and prevents the keyboard from accidentally falling off. It also features a retractable handle that can be pulled out to create a stable base, allowing the tablet screen to be safely tilted back for comfortable viewing.

Product Information

Dimension : L 340.5 x W 307.5 x H 21mm Weight :1.25Kg Structure : MIL-STD 810G, IP65, membrane Drop : 4ft Layout : 88 keys I/O Interfaces : DC in Jack x 1 Docking Compatibility : NOT compatible with K120 vehicle /office docks (laptop mode).

SKU ID

GDKBUA (US)	GDKBKA (KR)
GDKBBA (DE)	GDKBLA (PL)
GDKBCA (UK)	GDKBMA (Spanish)
GDKBDA (FR)	GDKBNA (FDNS)
GDKBEA (IT)	GDKBTA (TR)
GDKBGA (Traditional Chinese)	GDKBWA (International US)
GDKBHA (RU)	GDKBFA (Canadian French)
GDKBIA (AR)	GDKBVA (Canadian French Government)



OFFICE DOCK with AC Adapter (Laptop Mode)-GDOD*6

Features & Benefits

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in office environment. Through the integrated ethernet, RS232, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics. The HDMI and VGA ports also provide a convenient solution for sharing presentations or worksheets from a larger screen.

Product Information

Dimensions :408 x 225.7 x 67.5 mmWeight : 1.90 kgDocking Connector : POGO * w / 120W AC AdapterI/O Interfaces : DC in Jack x 1, Audio Output x 1, Microphone x1, USB 2.0 x 2, USB 3.0 x3, LAN x 2, HDMI x 1, VGA x 1, Serial Port x 1, Kensington Lock x 1

SKU ID

GDODE6 (EU Power Cord)
GDODU6 (US Power Cord)
GDODK6 (UK Power Cord)
GDODA6 (AU Power Cord)
GDODC6 (CHN Power Cord)
GDODT6 (TW Power Cord)



CAPACITIVE STYLUS & TETHER-GMPSXN

Features & Benefits

This capacitive stylus is lightweight and easy to control, spring-loaded nib increasing the durability also allowing smooth and comfortable interaction with the touch screen without worrying about scratching the screen or leaving fingerprints on it. The stylus comes with a tether to keep it attached to the tablet to get lost or misplaced.

Product Information

Nib Material : Conductive PET Fiber
Stylus Dimensions : 108.7 mm ; Ø9 mm
Tip size : 2.7 mm ; Ø2.8 mm
Color : Black
Tether Length : 304 mm

SKU ID

GMPSXN

