



## GETAC K120-EX FULLY RUGGED TABLET ACCESSORY SPEC BROCHURE



GETAC TECHNOLOGY CORPORATION Via Paracelso 26, Centro Direzionale Colleoni, Palazzo Cassiopea 3 20864 Agrate Brianza (MB) Tel: +39 039 8901584 Sales-getac-Italy@getac.com I www.getac.com/it/

RUGGED VERSATILITY MULTIPLE POSSIBILITIES

Copyright © 2022 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved.

# STANDARD BATTERY 2100MAH (1-PACK)

## **FEATURES & BENEFITS**

This battery pack is specifically designed for the K120, and can be hot-swapped for quick and simple battery replacement in the field without powering the unit down.

### **Product Information**

Battery Type : Lithium-ion Number of cell : 3S1P Voltage : 11.1V Capacity : Typical 2100mAh; min. 2040mAh Dimensions : L 123.9 x W 91.2 x H 12.3mm Weight : 160g

#### **SKU ID**

GBM3X4





# **DUAL BAY BATTERY CHARGER**

## **FEATURES & BENEFITS**

This external dual-bay main battery charger is designed to charge up to 2 batteries at the same time. It provides you the benefit of charging and storing the 2 main batteries together when there is limited space and power sockets.

### **Product Information**

AC Input : 100V~240V DC Output : 13.05V, 2.4A Max. Number of charge bays : 2 bays Dimensions : L 160 x W 180 x H 72.5mm Weight : 1.2kg Support main batteries and high-capacity batteries.

#### **SKU ID**

GCMCEF (EU Power Cord) GCMCUF (US Power Cord) GCMCKF (UK Power Cord) GCMCAF (AU Power Cord) GCMCCF (CHN Power Cord) GCMCTF (TW Power Cord)







## **MULTI-BAY BATTERY CHARGER EIGHT BAY**

## **FEATURES & BENEFITS**

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provide users an efficient charging solution.

### **Product Information**

AC Input : 100V~240V AC, 4.2A 50~60Hz DC Output : 19.5V, 16.9A \* w / 330W AC Adapter Number of charge bays : 8 bays Dimensions : L 465 x W 245 x H 95.3~111.3mm Weight : 4.7 kg ,not including battery packs Support main batteries and high-capacity batteries.

#### **SKU ID**

GCECEA (EU Power Cord) GCECUA (US Power Cord) GCECKA (UK Power Cord) GCECAA (AU Power Cord) GCECCA (CHN Power Cord) GCECTA (TW Power Cord)





## **90W AC ADAPTER**

## **FEATURES & BENEFITS**

This adapter is designed to power the device and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your destination country.

#### **Product Information**

Input : 100V-240V Output : 19V, 4.74 A, 90W Dimensions : L 140.1 x W 65.1 x H 25.4 mm Weight : 275 g Input cable length : 1830mm Output cable length: 1500mm

#### **SKU ID**

GAA9U6 (US Power Cord) GAA9E6 (EU Power Cord) GAA9K6 (UK Power Cord) GAA9C6 (CHN Power Cord) GAA9A6 (AU Power Cord) GAA9I6 (TW Power Cord) GAA9I6 (IN Power Cord) GAA9J6 (JPN Power Cord) GAA9R6 (KR Power Cord)



(for use in non-hazardous areas only)



## **DIGITIZER PEN**

## **FEATURES & BENEFITS**

The digitizer pen provides a more accurate and easy way for data entry and handwritten signature. A shortcut button allows the right mouse button functionality when using the pen.

## **Product Information**

Stylus Dimensions : 109mm ; Ø9mm Tip size : 2.0mm ; Ø1.65mm Tether Length : 292mm

### **SKU ID**

GMPDX6





## ANTI-STATIC SCREEN PROTECTION FILM WITH GLOSSY FINISH

## **FEATURES & BENEFITS**

This anti-static protection film is designed to ensure safe operations of the K120-EX in hazardous environments. The innovative layer of coating minimizes the buildup of static electrical charges on the screen surface while protecting the screen from scratches and abrasions. It also prevents the possibility of a static electrical discharge potentially igniting flammable or combustible materials in the air, while also maintaining excellent surface responsiveness.

### **Product Information**

Dimensions : 266.2 x 154.1 x 0.12 mm Main Material : PET film

#### **SKU ID**

GMPXX6





# **ROTATING HAND STRAP WITH KICKSTAND**

## **FEATURES & BENEFITS**

This genuine leather made hand strap is designed to minimize the buildup of static electric charges on the chassis of the tablet and prevent it from causing potential ignition hazards during field operations. It is adjustable to fit the majority of hand sizes and can be rotated 360 degrees for the ideal viewing angle while on-the-go. It also includes a built-in kickstand that allows for handsfree usage on flat surfaces, providing more on-the-job flexibility.

### **Product Information**

Hand Strap Dimension : 242 x 115mm Main Material : Leather

#### **SKU ID**

GMHRXH





## **SHOULDER STRAP 2-POINT**

## **FEATURES & BENEFITS**

This shoulder strap attaches via two holders at the back of the tablet and is adjustable to fit most body sizes for both cross-body and shoulder carry. With its durable, sturdy design, the strap not only provides a comfortable, grip-free carrying option of the tablet but also helps in avoiding accidental drops while on the move. The shoulder strap can also attach to the detachable keyboard (sold separately) via two D-rings on the built-in handle.

### **Product Information**

Dimensions : 38 x 1530mm Main Material : Polyester

#### **SKU ID**

GMS2X8



