



A140 FULLY Rugged tablet

- 14" FHD / HD LumiBond[®] 2.0 display with Getac sunlight readable technology for unprecedented viewing experience
- Dual battery design with LifeSupport™ battery swappable technology
- Enhanced security with TPM 2.0, RFID/NFC and fingerprint scanner
- Optional 1D/2D imager barcode reader and RFID
- Multi-function hard handle, hand straps and shoulder straps and slim-profile vehicle dock for maximum mobile productivity



SPECIFICATIONS

Operating System	Windows 10 Pro	
Mobile Computing Platform	Intel [®] Core™ i5-10210U Processor 1.6GHz Max. 4.2GHz with Intel [®] Turbo Boost Technology - 6MB Intel [®] Smart Cache	
	Platform options: Intel [®] Core™ i5-10310U, vPro Processor 1.7GHz Max. 4.4GHz with Intel [®] Turbo Boost Technology - 6MB Intel [®] Smart Cache	
	Intel [®] Core™ i7-10510U Processor 1.8GHz Max. 4.9GHz with Intel [®] Turbo Boost Technology - 8MB Intel [®] Smart Cache	
	Intel [®] Core™ i7-10610U vPro Processor 1.8GHz Max. 4.9GHz with Intel [®] Turbo Boost Technology - 8MB Intel [®] Smart Cache	
VGA Controller	Intel [®] UHD Graphics	
Display	14" TFT LCD HD (1366 x 768) Protection film 1,000 nits LumiBond [®] display with Getac sunlight readable technology Capacitive multi-touch screen Optional: 14" IPS TFT LCD FHD (1920 x 1080)	
	800nits LumiBond® display with Getac sunlight readabl technology and capacitive multi-touch screen	
Storage & Memory	8GB DDR4 Optional: 16GB / 32GB DDR4 256GB PCIe NVMe SSD Optional: 512GB / 1TB PCIe NVMe SSD	
Keyboard	Power button 7 tablet programmable buttons	
Pointing Device	Touchscreen - Capacitive multi-touch screen	

Expansion Slots	Optional: 1D/2D imager barcode reader Optional: Serial port, or HF RFID, or Fingerprint scanner, or HF RFID + Fingerprint scanner		
I/O Interface	Audio in/out combo x 1		
	DC in Jack x 1		
	USB 2.0 x 1		
	USB 3.2 Gen 2 Type-A x 1		
	USB 3.2 Gen 1 Type-C x 1		
	HDMI 1.4 x 1		
	LAN(RJ45) x 1		
	Docking connector x 1		
	Optional: FHD webcam x 1		
	Optional: SIM card slot x 1 (Micro-SIM, 3FF)		
	Optional: RF antenna pass-through for GPS, WWAN and WLAN		
	Optional: 8M pixels auto focus rear camera x 1		
Communication Interface	10/100/1000 base-T Ethernet x 1		
	Intel [®] Wi-Fi 6 AX201, 802.11ax		
	Bluetooth (v5.2)		
	Optional: Dedicated GPS		
	Optional: 4G LTE mobile broadband ⁱⁱⁱ		
Security Feature	TPM 2.0		
	Kensington lock		
	Optional: HF RFID		
	Optional: Fingerprint reader		
	Smart card reader		
Power	AC adapter (65W, 100-240VAC, 50/60Hz)		
	Li-ion smart battery (10.8V,typical 3220mAh;min.3120mAh) x 2		
	LifeSupport [™] battery swappable technology		
Dimension	369 x 248 x 32.5mm (14.58" x 9.76" x 1.279")		
	2.3kg (5.07lbs) ^{iv}		
Rugged Feature	MIL-STD-810H certified		
	IP65 certified		
	MIL-STD-461G certified ^v		
	Vibration & 4ft (1.2m) drop resistant ^{vi}		
	e-Mark certified for vehicle usage		
	Optional: ANSI / ISA 121201		

Environmental Specification	Temperature ^{vii} : - Operating: -29°C to 63°C / -20°F to 145°F - Storage: -51°C to 71°C / -60°F to 160°F Humidity: - 95% RH , non-condensing
Pre-installed Software	Getac Utility
	Getac Camera
	Getac Geolocation
	Getac Barcode Manager VIII
	Optional: Absolute Persistence®
Optional software	Getac Driving Safety Utility
	Getac KeyWedge Barcode Reader Utility
	Getac Device Monitoring System (GDMS)
	Getac VGPS Utility ^{ix}
Accessories	Battery (10.8V, typical 3220mAh; min. 3120mAh)
Accessories	AC adapter (65W, 100-240VAC)
	Capacitive stylus with tether
	Capacitive stylds with tetrier
	Optional:
	Carry bag
	Battery (10.8V, typical 3220mAh; min. 3120mAh)
	Multi-Bay charger (Dual-Bay)
	Multi-Bay charger (Eight-Bay)
	AC adapter (65W, 100-240VAC)
	Office dock AC adapter (90W, 100-240VAC)
	MIL-STD-461 certified AC adapter (90W, 115-230VAC)
	DC-DC vehicle adapter (120W, 11-32VDC)
	Capacitive stylus with tether
	Protection film
	Rotating hand strap with kickstand
	Rubber hand strap
	Shoulder strap (2-point)
	Shoulder harness (4-point; handsfree)
	Vehicle cradle
	Vehicle dock
	Office dock
	100W Type-C adapter
	Getac rugged keyboard



Bumper-to-Bumper Warranty

Accidents can take your equipment out of service when you least expect it, especially in a rugged environment, which can cause costly equipment downtime.

That is why Getac has introduced accidental damage as standard under our Bumper-to-Bumper warranty, to help minimize your enterprise IT costs.

Bumper-to-Bumper is your hassle-free guarantee. That means you can depend on us to have your unit back in service within days.

Standard

3 years Bumper-to-Bumper

- Bluetooth performance and connectable distance may be subject to interference with the environments and performance on client devices, users may be able to reduce effects of interference by minimizing the number of active Bluetooth wireless devices that is operating in the area.
- II. Supports GPS and Glonass.
- III. Units with 4G LTE option comes with an embedded SIM card slot.
- IV. Weight varies from configurations and optional accessories..
- V. MIL-STD-461G 90W AC adapter sold separately.
- VI. Drop test results vary from configurations and optional accessories.
- VII. Tested by an independent third-party test lab following MIL-STD-810H.
- VIII. Available when barcode reader option is selected.
- IX. Models require either embedded or standalone GPS module.

Information provided herewith is for reference only, available specification shall be subjected to quotation by request.

	Vehicle Dock	Office Dock
Serial Port	1	1
External VGA	1	-
Display Port	-	1
Microphone	1	1
Audio Output	1	1
DC in Jack	1	1
USB	4	3
LAN	1	1
HDMI 1.4	1	1
RF Antenna Connector	3 (WWAN, WLAN, GPS)	-
Printer Port	-	1

Getac USA

15495 Sand Canyon Ave. Suite 350 Irvine, CA 92618 Tel : 949-681-2900 GetacSales_US@getac.com I www.getac.com/us/ Copyright © 2022 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved. Information provided herewith is for reference only, available specification shall be subjected to quotation by request.