




UX10-IP FULLY RUGGED TABLET

- 10th Generation Intel® Core™ i5 Processor
- Sealed front buttons ensure easy cleaning to support infection prevention of medical healthcare professionals
- 10.1" FHD LumiBond® display with Getac sunlight readable technology (1,000 nits) and capacitive touchscreen. Optional dual mode touchscreen and digitizer
- Enhanced security to guard against security attacks and keep sensitive data safe
- Optional multi-functional hard handle for on-the-job mobility and flexibility
- Long battery life with high capacity battery and hot-swappable option for full shift working



UX10-IP FULLY RUGGED TABLET

SPECIFICATIONS

Generation	G2
Operating System	Windows 10 Pro Windows 11 Pro
Mobile Computing Platform	Intel® Core™ i5-10210U Processor 1.6GHz Max. 4.2GHz with Intel® Turbo Boost Technology - 6MB Intel® Smart Cache
VGA Controller	Intel® UHD Graphics
Display	10.1" IPS TFT LCD WUXGA (1920 x 1200) Protection film 1,000 nits LumiBond® display with Getac sunlight readable technology Capacitive multi-touch screen
Storage & Memory	8GB DDR4 256GB PCIe NVMe SSD
Keyboard	Power button 5 tablet programmable buttons
Pointing Device	Touchscreen – Capacitive multi-touch screen – Optional dual mode touchscreen (multi-touch and digitizer)
Expansion Slots	Optional: Smart card reader, or bridge battery + Smart card reader ¹ Optional: 1D/2D imager barcode reader
I/O Interface	FHD webcam x 1 8M pixels auto focus rear camera x 1 Audio in/out combo x 1 DC in Jack x 1 USB 3.2 Gen 2 Type-A x 1 HDMI 1.4 x 1 Docking connector x 1 Optional: SIM card slot x 1 (Micro-SIM, 3FF) Optional: RF antenna pass-through for GPS, WWAN and WLAN

UX10-IP FULLY RUGGED TABLET

Communication Interface	Intel® Wi-Fi 6 AX200, 802.11ax Bluetooth (v5.1) ⁱⁱ Optional: 4G LTE mobile broadband with integrated GPS
Security Features	TPM 2.0 Kensington lock Optional: Smart card reader ⁱ
Power	AC adapter (65W, 100-240VAC, 50/60 Hz) Li-ion battery (11.1V, typical 4200mAh; min. 4080mAh) x 1 Optional: High capacity Li-ion battery (10.8V, 9240mAh) x 1 Optional: Bridge battery ⁱ
Dimension (W x D x H) & Weigh	276.8 x 194.5 x 23.5 mm (10.89" x 7.65" x 0.92") 1.22kg (2.68lbs) ⁱⁱ
Rugged Feature	MIL-STD-810H certified IP65 certified MIL-STD-461G certified ⁱⁱⁱ Vibration & 6ft (1.8m) drop resistant ^{iv,v}
Environmental Specification	Temperature ^{xii} : – Operating: -29°C to 63°C / -20°F to 145°F – Storage: -51°C to 71°C / -60°F to 160°F Humidity: – 95% RH , non-condensing
Pre-installed software	Getac Utility Getac Camera Getac Geolocation Getac Barcode Manager ^{xiii} Optional: Absolute Persistence®
Optional software	Getac Driving Safety Utility Getac KeyWedge Barcode Reader Utility Getac Device Monitoring System (GDMS) Getac VGPS Utility ^{xi}

UX10-IP FULLY RUGGED TABLET

Accessories

Carry bag
Battery (11.1V, typical 4200mAh; min. 4080mAh)
High capacity Li-ion battery (10.8V, 9240 mAh)
Multi-Bay charger (Dual-Bay)
Multi-Bay charger (Eight-Bay)
AC adapter (65W, 100-240VAC)
Office dock AC adapter (90W, 100-240VAC)
MIL-STD-461 AC adapter (90W, 100-240VAC)
DC-DC vehicle adapter (120W, 11-32VDC)
Digitizer pen
Rubber hand strap
Shoulder strap (2-point)
Detachable keyboard
Vehicle cradle ^{viii}
Keyboard dock
Vehicle dock ^{viii}
Office dock
100W Type-C adapter
Getac rugged keyboard

Bumper-to-Bumper warranty

Accidents can take your equipment out of service when you least expect it, especially in a rugged environment, which can cause costly equipment downtime. That is why Getac has introduced accidental damage as standard under our Bumper-to-Bumper warranty, to help minimize your enterprise IT costs. Bumper-to-Bumper is your hassle-free guarantee. That means you can depend on us to have your unit back in service within days.

Standard

3 years Bumper-to-Bumper

- I. Smart card reader and bridge battery + Smart card reader are mutually exclusive options.
- II. Weight and dimensions vary from configurations and optional accessories.
- III. MIL-STD-461G 90W AC adapter sold separately.
- IV. Drop test results vary from configurations and optional accessories.
- V. Tested by a national independent third party test lab following MIL-STD-810H.
- VI. Supports GPS and Glonass.
- VII. Gamber Johnson and Havis vehicle docks are e-mark certified.

Information provided herewith is for reference only, available specification shall be subjected to quotation by request.

UX10-IP FULLY RUGGED TABLET

	Vehicle Dock	Office Dock
Serial Port	1	1
External VGA	-	1
Microphone	-	1
Audio Output	-	1
DC in Jack	1	1
USB	USB 2.0 x 2 USB 3.2 Gen 1 x 2	USB 2.0 x 2 USB 3.2 Gen 1 x 2
LAN	1	1
HDMI 1.4	-	1
RF Antenna Connector	3 (WWAN, WLAN, GPS)	-
Kensington Lock	1	1

Getac (UK) Ltd.

Getac House, Stafford Park 12,
Telford, Shropshire TF3 3BJ, United Kingdom
Tel : +44 (0) 1952 207 222

Sales-Getac-UK@getac.com | www.getac.com/en/

Copyright © 2022 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved.

Information provided herewith is for reference only,
available specification shall be subjected to quotation by request.