



- Enhanced enterprise security with optional Intel vPro, Windows disk encryption, TPM 2.0 and many more multi-factor authentication options
- 10th Generation Intel[®] Core[™] i7 / i5 vPro[™] Processor
- 11.6" LumiBond® display with Getac sunlight readable technology and capacitive touchscreen
- LifeSupport[™] battery swappable technology
- Optional dual mode touchscreen (multi-touch and digitizer)





SPECIFICATIONS

Generation	G6
Operating System	Windows 10 Pro Windows 11 Pro
Mobile Computing Platform	Intel [®] Core™ i5-10210U Processor 1.6GHz Max. 4.2GHz with Intel [®] Turbo Boost Technology - 6MB Intel [®] Smart Cache
	Platform options: Intel® Core™ i5-10310U vPro™ Processor 1.7GHz Max. 4.4GHz with Intel® Turbo Boost Technology - 6MB Intel® Smart Cache
	Intel [®] Core™ i7-10510U Processor 1.8GHz Max. 4.9GHz with Intel [®] Turbo Boost Technology - 8MB Intel [®] Smart Cache
	Intel [®] Core™ i7-10610U vPro™ Processor 1.8GHz Max. 4.9GHz with Intel [®] Turbo Boost Technology - 8MB Intel [®] Smart Cache
VGA Controller	Intel [®] UHD Graphics
Display	11.6" IPS TFT LCD FHD (1920 x 1080) Protection film 800 nits LumiBond [®] display with Getac sunlight readable technology Capacitive multi-touch screen
Storage & Memory	8GB DDR4 Optional: 16GB / 32GB / 64GB DDR4
	256GB PCIe NVMe SSD Optional: 512GB / 1TB SSD PCIe NVMe SSD
Keyboard	LED backlit membrane keyboard Optional: Rubber keyboard Power button 5 tablet programmable buttons

Pointing Device	Touchscreen - Capacitive multi-touch screen - Optional: Dual mode touchscreen (multi-touch and digitizer	
	Touchpad - Glide touchpad with left-click and right-click buttons	
Expansion Slots	Smart card reader x 1 ⁱ	
	Optional: 1D/2D imager barcode reader ⁱ	
I/O Interface	FHD webcam x 1 ⁱⁱ	
	Audio in/out combo x 1	
	DC in Jack x 1	
	USB 3.2 Gen 2 Type-C x 1	
	USB 3.2 Gen 2 Type-A x 2	
	LAN (RJ45) x 1	
	HDMI 1.4 x 1	
	Serial port (9-pin; D-sub) x 1	
	Docking connector x 1	
	Optional: SIM card slot x 1 (Mini-SIM, 2FF)	
	Optional: Windows Hello face-authentication camera (front-	
	facing) x 1 "	
	Optional: RF antenna pass-through for GPS, WWAN and	
	WLAN	
	Optional: 8M pixels auto focus rear camera x 1	
Communication Interface	10/100/1000 base-T Ethernet	
	Intel [®] Wi-Fi 6 AX200, 802.11ax	
	Bluetooth (v5.2) ⁱⁱⁱ	
	Optional: Dedicated GPS	
	Optional: 4G LTE mobile broadband ^{iv}	
Security Features	TPM 2.0	
	Kensington lock	
	Optional: Intel [®] vPro™ Technology	
	Optional: HF RFID reader and Smart card reader ^v	
	Optional: Fingerprint reader	
Power	AC adapter (65W, 100-240VAC, 50/60Hz)	
	Li-ion battery (11.1V, typical 2100mAh; min. 2040mAh) x 2	
	LifeSupport [™] battery swappable technology	
Dimension (W x D x H) & Weigh	313 x 238 x 39mm (12.32" x 9.37" x 1.53")	

Rugged Features	MIL-STD-810H certified IP65 certified MIL-STD-461G certified ^{vii} Vibration & 4ft (1.2m) drop resistant ^{viii} Optional: ANSI/UL 121201, CSA C22.2 NO. 213 (Class I, Division 2, Groups A, B, C, D) ^{ix} Optional: Salt fog certified
Environmental Specifications	Temperature ^x : - Operating: -29°C to 63°C / -20°F to 145°F - Storage: -51°C to 71°C / -60°F to 160°F Humidity: - 95% RH, non-condensing
Pre-installed software	Getac Utility Getac Camera Getac Geolocation Getac Barcode Manager ^{xi} Optional: Absolute Persistence [®]
Optional software	Getac Driving Safety Utility Getac Device Monitoring System (GDMS) Getac VGPS Utility ^{xii}
Accessories	Battery (11.1V, typical 2100mAh; min. 2040mAh) AC adapter (65W, 100-240VAC) Capacitive stylus with tether
	Optional:Carry bagBattery (11.1V, typical 2100mAh; min. 2040mAh)Multi-Bay charger (Dual-Bay)Multi-Bay charger (Eight-Bay)AC adapter (65W, 100-240VAC)Office dock AC adapter (90W, 100-240VAC)MIL-STD-461 AC adapter (90W, 100-240VAC)DC-DC vehicle adapter (120W, 11-32VDC)Digitizer penCapacitive stylus with tetherProtection filmHard handleX strapShoulder strap (2-point)Vehicle cockVehicle dock × ⁱⁱⁱ Office dockSpare SSD kit100W Type-C adapterGetac rugged keyboard

Bumper-to-Bumper warranty

Accidents can take your equipment out of service when you least expect it, especially in a rugged environment, which can cause costly equipment downtime.

That is why Getac has introduced accidental damage as standard under our Bumper-to-Bumper warranty, to help minimize your enterprise IT costs.

Bumper-to-Bumper is your hassle-free guarantee. That means you can depend on us to have your unit back in service within days.

Standard

3 years Bumper-to-Bumper

- I. Smart card reader, Optional 1D/2D imager barcode reader are mutually exclusive options.
- II. FHD webcam and optional Windows Hello face-authentication camera (front-facing) are mutually exclusive options.
- III. Bluetooth performance and connectable distance may be subject to interference with the environments and performance on client devices, users may be able to reduce effects of interference by minimizing the number of active Bluetooth wireless devices that is operating in the area.
- IV. Units with 4G LTE option come with an embedded SIM card slot.
- V. 13.56MHz contactless HF RFID/NFC reader (ISO 15693, 14443 A/B, Mifare and FeliCa™ compliant).
- VI. Weight and dimensions vary from configurations and optional accessories.
- VII. MIL-STD-461 90W AC adapter sold separately.
- VIII. Drop test results vary from configurations and optional accessories.
- IX. Available with limited configurations and environment conditions.
- X. Tested by an independent third-party test lab following MIL-STD-810H.
- XI. Available when barcode reader option is selected.
- XII. Models require either embedded or standalone GPS module.
- XIII. Gamber Johnson and Havis vehicle docks are e-mark certified.

Information provided herewith is for reference only, available specification shall be subjected to quotation by request.



	Vehicle Dock	Office Dock
Serial Port	2	2
External VGA	1	1
Microphone	1	1
Audio Output	1	1
DC in Jack	1	1
USB	4	4
LAN	1	1
HDMI	1	1
RF Antenna Connector	3 (WWAN, WLAN, GPS)	-

GETAC TECHNOLOGY CORPORATION

Via Paracelso 26, Centro Direzionale Colleoni, Palazzo Cassiopea 3 20864 Agrate Brianza (MB)

Tel: +39 039 8901584

Sales-getac-Italy@getac.com I www.getac.com/it/ Copyright © 2022 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved. Le informazioni riportate sono puramente indicative,

Le specifiche disponibili sono da verificare al momento dell'offerta.

