# Getac

## K120 ACCESSORY SPEC BROCHURE



Getac (UK) Ltd.

Getac House, Stafford Park 12, Telford, Shropshire TF3 3BJ, United Kingdom Tel: +44 (0) 1952 207 222 Sales-Getac-UK@getac.com | www.getac.com/en/

## **CARRY BAG**

## **Features & Benefits**

Constructed of durable Nylon/air mesh fabric and featuring an adjustable padded shoulder strap, this compact carry bag provides sturdy protection for your device while giving maximum comfort. The functional pockets inside offer the optimal solution to transport the laptop and needed accessories together in one case, delivering extra convenience and go-anywhere productivity to mobile professionals.

### **Product Information**

Dimensions: L 405 x W 330 x D 100mm

Weight: 1.335kg

Main Material : Nylon, air mesh fabric

### **SKU ID**

GMBCX7



## **DUAL BAY BATTERY CHARGER**

## **Features & Benefits**

This external dual-bay main battery charger is designed to charge up to 2 batteries at the same time. It provides you the benefit of charging and storing the 2 main batteries together when there is limited space and power sockets.

#### **Product Information**

AC Input: 100V~240V

DC Output: 13.05V, 2.4A Max. Number of charge bays: 2 bays

Dimensions: L 160 x W 180 x H 72.5mm

Weight: 1.2kg

Support main batteries and high-capacity batteries.

### **SKU ID**

GCMCEF (EU Power Cord)
GCMCUF (US Power Cord)
GCMCKF (UK Power Cord)
GCMCAF (AU Power Cord)
GCMCCF (CHN Power Cord)
GCMCTF (TW Power Cord)





## **MULTI-BAY BATTERY CHARGER EIGHT BAY**

## **Features & Benefits**

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provide users an efficient charging solution.

#### **Product Information**

AC Input: 100V~240V AC, 4.2A 50~60Hz

DC Output: 19.5V, 16.9A \* w / 330W AC Adapter Number of charge bays: 8 bays

Dimensions: L  $465 \times W 245 \times H 95.3 \sim 111.3 \text{mm}$  Weight: 4.7 kg, not including battery packs Support main batteries and high-capacity batteries.

### **SKU ID**

GCECEA (EU Power Cord)
GCECUA (US Power Cord)
GCECKA (UK Power Cord)
GCECAA (AU Power Cord)
GCECCA (CHN Power Cord)
GCECTA (TW Power Cord)



# **STANDARD BATTERY 2100 MAH (1-PACK)**

## **Features & Benefits**

This battery pack is specifically designed for the K120, and can be hot-swapped for quick and simple battery replacement in the field without powering the unit down.

### **Product Information**

Battery Type : Lithium-ion Number of cell : 3S1P

Voltage: 11.1V

Capacity: Typical 2100mAh; min. 2040mAh Dimensions: L 123.9 x W 91.2 x H 12.3mm

Weight: 160g

### **SKU ID**

GBM3X4





## 120W AC ADAPTER WITH POWER CORD

## **Features & Benefits**

Specifically designed for use with the office docking station and performance SKU, this 120W AC adapter provides efficient delivery to power your devices.

#### **Product Information**

Input: 100V-240V Output: 19V, 6.32A Max.

Dimensions: L 131.5 x W 69 x H 25.6mm

Weight: 412g

Input cable length: 1830mm Output cable length: 1800mm

### **SKU ID**

GAA3E2 (EU Power Cord) GAA3U2 (US Power Cord) GAA3K2 (UK Power Cord) GAA3A2 (AU Power Cord) GAA3C2 (CHN Power Cord) GAA3T2 (TW Power Cord) GAA3R2 (KR Power Cord) GAA3I2 (IN Power Cord) GAA3G2 (AG Power Cord)



## 90W AC ADAPTER

## **Features & Benefits**

This adapter is designed to power the device and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your destination country.

#### **Product Information**

Input: 100V-240V

Output: 19V, 4.74 A, 90W

Dimensions: L 140.1 x W 65.1 x H 25.4 mm

Weight: 275 g

Input cable length: 1830mm Output cable length: 1500mm

### **SKU ID**

GAA9U6 (US Power Cord) GAA9E6 (EU Power Cord) GAA9K6 (UK Power Cord) GAA9C6 (CHN Power Cord) GAA9A6 (AU Power Cord) GAA9T6 (TW Power Cord) GAA9I6 (IN Power Cord) GAA9G6 (ARG Power Cord) GAA9J6 (JPN Power Cord) GAA9R6 (KR Power Cord)



## 90W MIL-STD-461 AC ADAPTER

## **Features & Benefits**

This MIL-STD-461G AC adapter has passed the military standard and testing specification to ensure the conducted emissions (CE), conducted susceptibility (CS), radiated emissions (RE), and radiated susceptibility (RS) of the adapter can meet the requirements for the control of electromagnetic interference.

#### **Product Information**

Input: 115V-230V, 1.6A 50~60Hz

Output: 19V, 4.74A, 90W

Dimensions: L 170 x W 75 x H 45mm Weight: 880g (without power cord) Input cable length: 1530mm Output cable length: 1800mm

## **SKU ID**

GAAGE5 (EU Power Cord) GAAGU5 (US Power Cord) GAAGK5 (UK Power Cord) GAAGC5 (CHN Power Cord) GAAGA5 (AU Power Cord) GAAGI5 (IN Power Cord) GAAGT5 (TW Power Cord)



# **OFFICE DOCK WITH AC ADAPTER (LAPTOP MODE)**

## **Features & Benefits**

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in office environment. Through the integrated ethernet, RS232, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics. The HDMI and VGA ports also provide a convenient solution for sharing presentations or worksheets from a larger screen.

#### **Product Information**

Dimensions: 408 x 225.7 x 67.5 mm

Weight: 1.90 kg

Docking Connector : POGO \* w / 120W AC Adapter

I/O Interfaces : DC in Jack  $\times$  1, Audio Output  $\times$  1, Microphone  $\times$ 1, USB 2.0  $\times$  2, USB 3.0  $\times$ 3, LAN  $\times$  2, HDMI  $\times$  1, VGA  $\times$  1, Serial Port  $\times$  1, Kensington Lock  $\times$  1

#### **SKU ID**

GDODE6 (EU Power Cord) GDODU6 (US Power Cord) GDODK6 (UK Power Cord) GDODA6 (AU Power Cord) GDODC6 (CHN Power Cord) GDODT6 (TW Power Cord)





# **OFFICE DOCK WITH AC ADAPTER (TABLET MODE)**

## **Features & Benefits**

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in office environment. Through the integrated ethernet, RS232, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics. The HDMI and VGA ports also provide a convenient solution for sharing presentations or worksheets from a larger screen.

#### **Product Information**

Dimensions: L 313.3 x W 203.3 x H 265.7mm

Weight: 1.45kg

Docking Connector : POGO \* w / 120W AC Adapter

I/O Interfaces: DC in Jack x 1, Audio Output x 1, Microphone x1, USB 2.0 x 2, USB 3.0 x3,

LAN x 2, HDMI x 1, VGA x 1, Serial Port x 1, Kensington Lock x 1

## **SKU ID**

GDODE5 (EU Power Cord) GDODU5 (US Power Cord) GDODK5 (UK Power Cord) GDODA5 (AU Power Cord) GDODC5 (CHN Power Cord) GDODT5 (TW Power Cord)





## **CAPACITIVE STYLUS & TETHER**

## **Features & Benefits**

This capacitive stylus is lightweight and easy to control, spring-loaded nib increasing the durability also allowing smooth and comfortable interaction with the touch screen without worrying about scratching the screen or leaving fingerprints on it. The stylus comes with a tether to keep it attached to the tablet to get lost or misplaced.

### **Product Information**

Nib Material : Conductive PET Fiber Stylus Dimensions : 108.7 mm ; Ø9 mm

Tip size: 2.7 mm; Ø2.8 mm

Color: Black

Tether Length: 304 mm

### **SKU ID**

**GMPSXN** 





## **DIGITIZER PEN**

## **Features & Benefits**

The digitizer pen provides a more accurate and easy way for data entry and handwritten signature. A shortcut button allows the right mouse button functionality when using the pen.

### **Product Information**

Stylus Dimensions : 109mm ; Ø9mm

Tip size: 2.0mm; Ø1.65mm Tether Length: 292mm

### **SKU ID**

GMPDX6





## **GETAC DS100 USB-C DOCKING STATION**

## **Features & Benefits**

The Getac DS100 USB-C Docking Station, featuring a slim and compact design, seamlessly consolidates cables on the workstation. This allows users to swiftly create a personalized workspace and organize their daily office environment. Compatible with various Getac laptop and tablet models, it provides extra connectivity and multiple I/O ports for additional peripherals and data sources. With support for MAC Address Pass-Through, Wake-on-LAN (WoL), and PXE Boot, the DS100 aids IT administrators in maintaining a secure, efficient, and well-managed network infrastructure. (The docking station's performance, including transfer speeds and display capabilities, may be limited by chipset and operating system when used with Getac Android systems. See the user manual for details.)

#### **Product Information**

Dimensions: L 207 x W 90 x H 31mm (8.15" x 3.54" x 1.22")

Weight: 335g (0.74lbs)

Power Cable Length: 1.8m (5.9ft)

USB-C Upstream Cable Length: 1m (3.28ft)

I/O Ports: DC in Jack  $\times$  1, Audio in/out combo  $\times$  1, USB 2.0  $\times$  2, USB 3.2 Gen 1 Type-A  $\times$  3, USB 3.2 Gen 2 Type-C  $\times$  2, LAN  $\times$  1, HDMI 2.0  $\times$  1,

Display port x 2

#### **SKU ID**

GDDSE1 (EU Power Cord)

GDDSU1 (US Power Cord)

GDDSK1 (UK Power Cord)

GDDSA1 (AU Power Cord)

GDDSC1 (CHN Power Cord)

GDDST1 (TW Power Cord)

GDDSI1 (IN Power Cord)





## **SHOULDER HARNESS 4-POINT**

## **Features & Benefits**

This shoulder harness has four snap hooks which attach to the corner rings on the tablet, and can be easily detached as well. The harness is worn in a backpack style, allowing the tablet to be carried hands-free in front of the user at a belt level for easy accessibility. It also delivers optimal support and a comfortable fit during movement, thanks to its wide soft padding and adjustable straps.

### **Product Information**

Dimensions : 1380 x 372mm Main Material : Polyester

### SKU ID

GMS4X4





## **GETAC RUGGED KEYBOARD**

## **Features & Benefits**

The Getac Rugged Keyboard is designed with VESA and AMPS mounting capability that allow it to be placed firmly in the vehicle. It has gone through vigorous test that comply with MIL-STD 810G and IP65. It also features with 88 full sized keys, red LED backlight with five levels of brightness and impressive key response that will truly enhance user experience.

#### **Product Information**

Dimension: 307.7 x 194 x 32 mm

Weight: 870g

Compatibility: Windows 10 Pro, Windows 11 Pro Backlit: Red LED. five levels of brightness Coiled Cable Length: USB 2.0 interface, 1.83m

## **SKU ID**

Getac Rugged Keyboard	Getac Rugged Keyboard with Smart card and USB 2.0	Getac Rugged Keyboard with Smart card and LF/HF RFID
GDKBU9 (US) GDKBC9 (UK) GDKBB9 (DE) GDKBD9 (FR)	GDKBU6 (US) GDKBC6 (UK) GDKBB6 (DE) GDKBD6 (FR)	GDKBU7 (US) GDKBC7 (UK) GDKBB7 (DE) GDKBD7 (FR)



## KEYBOARD DOCK WITH RF PASS-THROUGH

## **Features & Benefits**

Featuring 4-level red backlighting, 88 full-size keys and an integrated touchpad, the keyboard dock allows for a user-friendly, laptop-like operation to minimize mistakes and increase the efficiency as you perform data-intensive tasks. It also carries a variety of I/O ports for connections to peripherals and other devices. Its Double-locking mechanism strengthens the tablet-keyboard connection and prevents the keyboard from accidentally falling off. It also features a retractable handle that can be pulled out to create a stable base, allowing the tablet screen to be safely tilted back for comfortable viewing.

#### **Product Information**

Dimension: L 340.5 x W 307.5 x H 21mm

Weight: 1.43Kg

Structure : IP66; membrane Drop : 4ft Layout : 88 keys

I/O Interfaces : DC in Jack x 1, USB 3.2 Type-A x 3, Giga Lan (RJ-45) x 1, HDMI x 1,

Serial Port x 1, Display Port X 1, RF antenna pass-through for GPS,

WLAN and WWAN

Docking Compatibility: Compatible with K120 vehicle /office docks (laptop mode).

## **SKU ID**

GDKBIC (AR)

GDKBUC (US)
GDKBBC (DE)
GDKBCC (UK)
GDKBDC (FR)
GDKBEC (IT)
GDKBGC (Traditional Chinese)
GDKBHC (RU)

GDKBKC (KR)
GDKBLC (PL)
GDKBMC (Spanish)
GDKBNC (FDNS)
GDKBTC (TR)
GDKBWC (International US)
GDKBFC (Canadian French)
GDKBVC (Canadian French)
Government)



## KEYBOARD DOCK WITHOUT RF PASS-THROUGH

## **Features & Benefits**

Featuring 4-level red backlighting, 88 full-size keys and an integrated touchpad, the keyboard dock allows for a user-friendly, laptop-like operation to minimize mistakes and increase the efficiency as you perform data-intensive tasks. It also carries a variety of I/O ports for connections to peripherals and other devices. Its Double-locking mechanism strengthens the tablet-keyboard connection and prevents the keyboard from accidentally falling off. It also features a retractable handle that can be pulled out to create a stable base, allowing the tablet screen to be safely tilted back for comfortable viewing.

#### **Product Information**

Dimension: L 340.5 x W 307.5 x H 21mm

Weight: 1.43Ka

Structure: IP66; membrane Drop: 4ft Layout: 88 keys

I/O Interfaces: DC in Jack x 1, USB 3.2 Type-A x 3, Giga Lan (RJ-45) x 1, HDMI x 1,

Serial Port x 1, Display Port X 1

Docking Compatibility: Compatible with K120 vehicle /office docks (laptop mode).

#### **SKU ID**

GDKBUK (US) GDKBBK (DE) GDKBCK (UK) GDKBDK (FR) GDKBEK (IT) GDKBGK (Traditional Chinese)

GDKBHK (RU)

GDKBIK (AR)

GDKBKK (KR) GDKBLK (PL) GDKBMK (Spanish) GDKBNK (FDNS) GDKBTK (TR) GDKBWK (International US) GDKBFK (Canadian French) GDKBVK (Canadian French Government)



## 120W DC-DC VEHICLE ADAPTER

## **Features & Benefits**

The 120W vehicle adapter comes with a choice of two types of connections: a bare wire with individual wire ends already stripped, and a cigarette lighter plug for easy connection to the cigarette lighter socket in the vehicle interior, providing a convenient way to charge and power your tablet while you are on the road.

#### **Product Information**

Input Voltage: 11VDC~ 32VDC Output Voltage: 19VDC Output current: 6.32A Max.

Case Dimensions: L 131.5 x W 65.6 x H 30mm

Weight: 362g

Input cable length : 1900mm Output cable length : 1000mm

### **SKU ID**

GAD2X4 (Cigarette Lighter Plug Version) GAD2X8 (Bare Wire Version)





# **HIGH CAPACITY BATTERY 3450 MAH (1-PACK)**

## **Features & Benefits**

The high capacity battery pack extends the system run time up to two times compared to the standard battery pack, providing a great solution for mobile professionals who require extra battery life for all-day computing. It's also hot-swappable for quick replacement without interrupting the tablet's performance.

#### **Product Information**

Battery Type : Lithium-ion Number of cell : 4S1P

Voltage : 14.4V

Capacity: Typical 3450mAh; min. 3300mAh Dimensions: L 123.9 x W 115.4 x H 22.3mm

Weight: 260g

### **SKU ID**

GBM4X4





## **ROTATING HAND STRAP WITH KICKSTAND**

## **Features & Benefits**

The rotating hand strap is designed to make using the tablet easier and more convenient to carry. The hand strap is adjustable to fit the majority of hand sizes and can be rotated 360 degrees to find the ideal viewing angle while on-the-go. It also includes a built-in kickstand that allows for handsfree usage on flat surfaces, providing more on-the-job flexibility.

### **Product Information**

Hand Strap Dimension : 242 x 115mm

Main Material : PU

### **SKU ID**

**GMHRXG** 





## **SCREEN PROTECTION FILM MATTE FINISH**

## **Features & Benefits**

This screen protection film is cut precisely to fit the K120 tablet and is easy to install and remove without leaving sticky residue. With anti-glare coating, it not only protects the screen from the rigors of daily use, and helps to diffuse light on the screen and reduces glare, providing effortless readability for displayed information under common ambient lighting conditions.

### **Product Information**

Dimensions: L 301.08 x W 191.32 x D 0.14mm

Main Material : PET

### **SKU ID**

GMPFXJ



## **SHOULDER STRAP 2-POINT**

## **Features & Benefits**

This shoulder strap attaches via two holders at the back of the tablet and is adjustable to fit most body sizes for both cross-body and shoulder carry. With its durable, sturdy design, the strap not only provides a comfortable, grip-free carrying option of the tablet but also helps in avoiding accidental drops while on the move. The shoulder strap can also attach to the detachable keyboard (sold separately) via two D-rings on the built-in handle.

### **Product Information**

Dimensions: 38 x 1530mm Main Material: Polyester

### **SKU ID**

GMS2X8



