# Getac

## S410 ACCESSORY SPEC BROCHURE



#### GETAC TECHNOLOGY CORPORATION

5F, Building A, No. 209, Section 1, Nangang Rd., Nangang Dist., Taipei City, 115018, Taiwan, R.O.C. Tel: +886 2 2785 7888 globalmarketing@getac.com | www.getac.com

## **CARRY BAG**

### **Features & Benefits**

Constructed of durable Nylon/air mesh fabric and featuring an adjustable padded shoulder strap, this compact carry bag provides sturdy protection for your device while giving maximum comfort. The functional pockets inside offer the optimal solution to transport the laptop and needed accessories together in one case, delivering extra convenience and go-anywhere productivity to mobile professionals.

#### **Product Information**

Dimensions: L 405 x W 330 x D 100mm

Weight: 1.335kg

Main Material : Nylon, air mesh fabric

#### SKU ID

GMBCX7



## **EXTERNAL DUAL BAY BATTERY CHARGER**

### **Features & Benefits**

This external dual-bay battery charger is designed to charge up to 2 batteries at the same time. It provides you the benefit of charging and storing two batteries together when there is limited space and power sockets.

#### **Product Information**

AC Input: 100V~240V

DC Output: 13.05V, 2.4A Max. Number of charge bay: 2 Bay

Dimensions: L 160 x W 180 x H 72.5mm

Weight: 1.2kg

#### SKU ID

Main Battery + Multimedia Bay Battery	Two Main Batteries
GCMCEK (EU Power Cord) GCMCUK (US Power Cord) GCMCKK (UK Power Cord) GCMCAK (AU Power Cord) GCMCCK (CHN Power Cord) GCMCTK (TW Power Cord) GCMCIK (IN Power Cord)	GCMCEJ (EU Power Cord) GCMCUJ (US Power Cord) GCMCKJ (UK Power Cord) GCMCAJ (AU Power Cord) GCMCCJ (CHN Power Cord) GCMCTJ (TW Power Cord) GCMCIJ (IN Power Cord)





## **MAIN BATTERY & 2ND BATTERY**

### **Features & Benefits**

The S410 Spare Main Battery is designed to provide main power source for device when AC adapter is not connected/charged.

#### **Product Information**

Battery Type: Lithium-ion 6 cells, 74.5WH

Nominal Voltage: 10.8V Capacity: 6900mAh Battery Pack Weight: 330g

#### **SKU ID**

GBM6X6



## **MULTI-BAY BATTERY CHARGER EIGHT BAY**

### **Features & Benefits**

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provide users an efficient charging solution.

#### **Product Information**


AC Input : 100V~240V AC, 4.2A 50~60Hz DC Output : 19.5V, 16.9A \* w/ 330W AC Adapter

Number of charge bays: 8 bays

Dimensions : L 465 x W 245 x H 95.3 $\sim$ 111.3mm Weight : 4.7kg, not including battery packs

#### **SKU ID**

Main Batteries Only GCECEM (EU Power Cord) GCECUM (US Power Cord) GCECKM (UK Power Cord) GCECAM (AU Power Cord) GCECCM (CHN Power Cord)



## **MULTIMEDIA BAY BATTERY**

### **Features & Benefits**

The Getac S410 Removable Media Bay Battery Pack is designed to fit perfectly in the media bay and provide additional battery life for workers who are in the field for long periods of time. With removable features, users can easily change the media bay battery by pulling it out from the media bay.

#### **Product Information**

Battery Type : Lithium-ion, 6 cells, 46.6WH

Nominal Voltage : 11.1V Capacity : 4200mAh Battery Pack Weight : 300g

#### **SKU ID**

GBS6X1



## **100W TYPE-C AC ADAPTER**

### **Features & Benefits**

The 100W Type-C AC adapter as an additional charging solution to charge Getac rugged tablets and laptops with inherent USB type-C ports as well as the power delivery functionality. The Type-C adapter features a reversible connector type that reduces connector damages due to misuse.

#### **Product Information**

Input: 100V-240V Output: 20V, 5A, 100W

Dimensions: L 140 x W 65 x H 25mm

Weight: 326g

Input cable length: 1830mm Output cable length: 1500mm

#### **SKU ID**

GAT1E1 (EU Power Cord) GAT1U1 (US Power Cord) GAT1K1 (UK Power Cord) GAT1A1 (AU Power Cord) GAT1C1 (CHN Power Cord) GAT1T1 (TW Power Cord) GAT1I1 (IN Power Cord)



## 120W AC ADAPTER WITH POWER CORD

### **Features & Benefits**

Specifically designed for use with the office docking station and performance SKU, this 120W AC adapter provides efficient delivery to power your devices.

#### **Product Information**

Input: 100V-240V Output: 19V, 6.32A Max.

Dimensions: L 131.5 x W 69 x H 25.6mm

Weight: 412g

Input cable length: 1830mm Output cable length: 1800mm

#### **SKU ID**

GAA3E2 (EU Power Cord) GAA3U2 (US Power Cord) GAA3K2 (UK Power Cord) GAA3A2 (AU Power Cord) GAA3C2 (CHN Power Cord) GAA3T2 (TW Power Cord) GAA3R2 (KR Power Cord) GAA3I2 (IN Power Cord) GAA3G2 (AG Power Cord)



## 120W DC-DC VEHICLE ADAPTER

### **Features & Benefits**

The 120W vehicle adapter comes with a choice of two types of connections: a bare wire with individual wire ends already stripped, and a cigarette lighter plug for easy connection to the cigarette lighter socket in the vehicle interior, providing a convenient way to charge and power your tablet while you are on the road.

#### **Product Information**

Input Voltage: 11VDC~ 32VDC Output Voltage: 19VDC Output current: 6.32A Max.

Case Dimensions: L 131.5 x W 65.6 x H 30mm

Weight: 362g

Input cable length : 1900mm Output cable length : 1000mm

#### **SKU ID**

GAD2X4 (Cigarette Lighter Plug Version) GAD2X8 (Bare Wire Version)





## 90W AC ADAPTER

### **Features & Benefits**

This adapter is designed to power the device and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your destination country.

#### **Product Information**

Input: 100V-240V

Output: 19V, 4.74 A, 90W

Dimensions: L 140.1 x W 65.1 x H 25.4 mm

Weight: 275 g

Input cable length: 1830mm Output cable length: 1500mm

#### **SKU ID**

GAA9U6 (US Power Cord) GAA9E6 (EU Power Cord) GAA9K6 (UK Power Cord) GAA9C6 (CHN Power Cord) GAA9A6 (AU Power Cord) GAA9T6 (TW Power Cord) GAA9I6 (IN Power Cord) GAA9G6 (ARG Power Cord) GAA9J6 (JPN Power Cord) GAA9R6 (KR Power Cord)



## **OFFICE DOCK WITH 120W AC ADAPTER**

### **Features & Benefits**

For workers, who need to work from the office, the S410 office dock provides a variety of connections: VGA, USB, RS232 serial and LAN (RJ-45) which helps update data with central offices in real-time.

#### **Product Information**

DC in Jack x 1
Audio Output x 1
USB 3.0 x 1
USB 2.0 x 3
VGA x 1
HDMI x 1
LAN (RJ-45) x 1
RS232 serial x 1
Microphone x 1
\* w/ 120W AC Adapter

#### **SKU ID**

GDODE4 (EU Power Cord)
GDODU4 (US Power Cord)
GDODK4 (UK Power Cord)
GDODA4 (AU Power Cord)
GDODC4 (CHN Power Cord)
GDODT4 (TW Power Cord)
GDODR4 (KR Power Cord)
GDODI4 (IN Power Cord)



## **CAPACITIVE STYLUS PEN & TETHER**

### **Features & Benefits**

This capacitive hard tip stylus is lightweight and easy to control, allowing smooth and comfortable interaction with the touch screen without worrying about scratching the screen or leaving fingerprints on it. The stylus comes with a detachable tether to keep the stylus attached to the device, so it doesn't get lost or misplaced.

#### **Product Information**

Stylus Dimensions: 111mm; Ø9mm

Tip size: 3.8mm; Ø3.5mm Tether Length: 304mm

#### **SKU ID**

**GMPSXE** 



## **GETAC DS100 USB-C DOCKING STATION**

### **Features & Benefits**

The Getac DS100 USB-C Docking Station, featuring a slim and compact design, seamlessly consolidates cables on the workstation. This allows users to swiftly create a personalized workspace and organize their daily office environment. Compatible with various Getac laptop and tablet models, it provides extra connectivity and multiple I/O ports for additional peripherals and data sources. With support for MAC Address Pass-Through, Wake-on-LAN (WoL), and PXE Boot, the DS100 aids IT administrators in maintaining a secure, efficient, and well-managed network infrastructure. (The docking station's performance, including transfer speeds and display capabilities, may be limited by chipset and operating system when used with Getac Android systems. See the user manual for details.)

#### **Product Information**

Dimensions: L 207 x W 90 x H 31mm (8.15" x 3.54" x 1.22")

Weight: 335g (0.74lbs)

Power Cable Length: 1.8m (5.9ft)

USB-C Upstream Cable Length: 1m (3.28ft)

I/O Ports: DC in Jack  $\times$  1, Audio in/out combo  $\times$  1, USB 2.0  $\times$  2, USB 3.2 Gen 1 Type-A  $\times$  3, USB 3.2 Gen 2 Type-C  $\times$  2, LAN  $\times$  1, HDMI 2.0  $\times$  1,

Display port x 2

#### **SKU ID**

GDDSE1 (EU Power Cord)

GDDSU1 (US Power Cord)

GDDSK1 (UK Power Cord)

GDDSA1 (AU Power Cord)

GDDSC1 (CHN Power Cord)

GDDST1 (TW Power Cord)

GDDSI1 (IN Power Cord)





## **PROTECTION FILM**

### **Features & Benefits**

This screen protection film is cut precisely to fit the S410 device and is easy to install and remove without leaving a sticky residue. With anti-glare coating, it not only protects the screen from the rigors of daily use and helps to diffuse light on the screen and reduces glare, providing effortless readability for displayed information under common ambient lighting conditions.

#### **Product Information**

Dimensions: L 309.4 x W 173.85 x H 0.15mm

Main Material : PET

#### SKU ID

**GMPFXN** 



## **MULTIMEDIA BAY 2ND STORAGE WITH CANISTER**

### **Features & Benefits**

Getac S410 second storage with canister is designed to provide you the ease of installation and allow you to remove your confidential data when your device is sent for service.

#### **Product Information**

Capacity: SATA 512GB/1TB Dimension: 140 x 134 x 9mm

Weight: 86g

#### **SKU ID**

GSR3X5 (512GB SATA SSD) GSR0X4 (1TB SATA SSD)



## **SPARE MAIN STORAGE**

### **Features & Benefits**

Getac S410 Spare Main Storage with canister is designed to provide you the ease of installation and allow you to remove your confidential data when your device is sent for service.

#### **Product Information**

Capacity: PCle NVMe 256GB/512GB/1TB

Dimension: 107 x 26 x 8mm

Weight: 90g

#### **SKU ID**

GSSEX4 (256GB PCIe NVMe SSD) GSSFX4 (512GB PCIe NVMe SSD) GSSGX4 (1TB PCIe NVMe SSD)

